

**INVITATION FOR BIDS**

Submitted bids will be opened electronically at 11:00 AM on **Friday, June 19, 2026**; and will be posted to the Vermont Agency of Transportation website. The time of receiving and opening bids may be postponed due to emergencies or unforeseen conditions.

**LOCATION:**

**COLCHESTER-SWANTON IM 089-3(85)** - BEGINNING IN THE TOWN OF COLCHESTER AT MILE MARKER 91.886 AND EXTENDING NORTHERLY ALONG INTERSTATE 89 (NORTHBOUND) FOR A DISTANCE OF APPROXIMATELY 53,401.92 FT (10.114 MILES) STOPPING AT MILE MARKER 102.000. RESUMING AT MILE MARKER 113.400 AND EXTENDING 25,344.00 FT (4.800 MILES) TO MILE MARKER 118.200 IN THE TOWN OF SWANTON.

**COLCHESTER-SWANTON IM 089-3(86)** - BEGINNING IN THE TOWN OF COLCHESTER AT MILE MARKER 91.882 AND EXTENDING NORTHERLY ALONG INTERSTATE 89 (SOUTHBOUND) FOR A DISTANCE OF APPROXIMATELY 53,301.60 FT (10.095 MILES) STOPPING AT MILE MARKER 101.977. RESUMING AT MILE MARKER 113.294 AND EXTENDING 25,845.60 FT (4.895 MILES) TO MILE MARKER 118.189 IN THE TOWN OF SWANTON.

**TYPE OF CONSTRUCTION:**

**COLCHESTER-SWANTON IM 089-3(85)** - WORK TO BE PERFORMED UNDER THIS PROJECT INCLUDES SURFACE PREPARATION INVOLVING PATCHING, POT HOLE REPAIR, MILLING AND PAVING WITH A LEVELING COURSE FOLLOWED BY A WEARING COURSE ON THE EXISTING INTERSTATE TYPICAL INCLUDING RAMPS, PAVEMENT MARKINGS, GUARDRAIL REHABILITATION, BRIDGE MEMBRANE INSTALLATION AND OTHER RELATED HIGHWAY ITEMS.

**COLCHESTER-SWANTON IM 089-3(86)** - WORK TO BE PERFORMED UNDER THIS PROJECT INCLUDES SURFACE PREPARATION INVOLVING PATCHING, POT HOLE REPAIR, MILLING AND PAVING WITH A LEVELING COURSE FOLLOWED BY A WEARING COURSE ON THE EXISTING INTERSTATE TYPICAL INCLUDING RAMPS, PAVEMENT MARKINGS, GUARDRAIL REHABILITATION, BRIDGE MEMBRANE INSTALLATION AND OTHER RELATED HIGHWAY ITEMS.

**CONTRACT COMPLETION DATE:** This Contract shall be completed on or before **October 15, 2027**.

**BID BOND:** Electronic bid bond to be submitted in the amount of 5% of the Contractor's bid.

**ENGINEER'S ESTIMATE:** For this proposal the Engineer's Estimate is **Category G**.

**PLANS AND PROPOSALS MAY BE OBTAINED AT NO COST BY:** On the VTrans website at:  
<https://vtrans.vermont.gov/contract-admin/bids-requests/construction-contracting>

**QUESTIONS:** During the advertisement period, all questions shall be addressed solely to the Office of Contract Administration via email: [AOT.ConstructionContractingInquiry@vermont.gov](mailto:AOT.ConstructionContractingInquiry@vermont.gov). All inquiries must be received by 4:30 PM on Wednesday, June 10, 2026.

**PREQUALIFICATION OF CONTRACTORS:** All bidders on this project must hold **both** current annual Prequalification with the Vermont Agency of Transportation through the "Contractor's Experience Questionnaire and Financial Statement" and unconditioned project-specific approval through the "Standard Form - Request for Proposal" CA-82 form. These documents are available at: <https://vtrans.vermont.gov/sites/aot/files/contractadmin/documents/PreQualCA82.pdf>, and must be submitted/uploaded through the iCXWeb website at: <https://vtrans.exevision.com/icx/Index.aspx>

**STANDARD SPECIFICATIONS:** The work to be performed under this Contract shall be in accordance with the 2024 Standard Specifications for Construction, as modified. The Standard Specifications are available on the Vermont Agency of Transportation website.

<https://vtrans.vermont.gov/highway/construct-material/construct-services/pre-contractspecifications>

**NON-COLLUSION AFFIDAVIT:** All bidders will be required to execute a sworn statement, certifying that the bidder has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this Contract.

**NONDISCRIMINATION IN AGENCY CONTRACTS:** VTrans hereby notifies all bidders that it will insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

**MANDATORY ELECTRONIC BIDDING:** Bidders are hereby notified that only electronic bids will be accepted by the Agency. For information on electronic bidding with the Agency, please visit our website at: <https://vtrans.vermont.gov/contract-admin/resources/construction-contracting/electronic-bidding>

TELECOMMUNICATIONS RELAY SERVICE

TTY/TDD 1-800-253-0191

ESTIMATE OF QUANTITIES

| ITEM NO. | DESCRIPTION   | QUANTITY   | UNITS |
|----------|---|------------|-------|
| 203.1500 | COMMON EXCAVATION   | 170.000    | CY    |
| 203.3000 | EARTH BORROW  | 550.000    | CY    |
| 203.4000 | SHOULDER BERM REMOVAL                                       | 38,500.000 | LF    |
| 204.2200 | TRENCH EXCAVATION OF EARTH, EXPLORATORY (N.A.B.I.)          | 2.000      | CY    |
| 210.1200 | FINE-MILLING, BITUMINOUS PAVEMENT                           | 696,300.00 | SY    |
|          |   | 0          |       |
| 213.2010 | MILLED RUMBLE STRIPS, SHOULDER                              | 283,500.00 | LF    |
|          |   | 0          |       |
| 301.2800 | SUBBASE OF CRUSHED GRAVEL, FINE GRADED                      | 100.000    | TON   |
| 402.1300 | AGGREGATE SHOULDERS, RAP                                    | 6,320.000  | TON   |
| 404.1100 | TACK COAT, EMULSIFIED ASPHALT                               | 6,800.000  | CWT   |
| 406.0310 | BITUMINOUS CONCRETE PAVEMENT, TYPE IIIS, QA TIER I          | 71,100.000 | TON   |
| 406.0410 | BITUMINOUS CONCRETE PAVEMENT, TYPE IVS, QA TIER I           | 20,350.000 | TON   |
| 406.2400 | BITUMINOUS CONCRETE PAVEMENT, SURFACE PREPARATION, TYPE IVS | 160.000    | TON   |
| 406.3400 | BITUMINOUS CONCRETE PAVEMENT, NON-PAVER PLACED, TYPE IVS    | 110.000    | SY    |
| 406.9100 | PAY ADJUSTMENT, BCP, MIXTURE PROPERTIES (N.A.B.I.)          | 2.000      | DL    |
| 406.9200 | PAY ADJUSTMENT, BCP, MAT DENSITY (N.A.B.I.)                 | 2.000      | DL    |
| 406.9300 | PAY ADJUSTMENT, BCP, LONGITUDINAL JOINT DENSITY (N.A.B.I.)  | 2.000      | DL    |
| 406.9400 | PAY ADJUSTMENT, BCP, PAVEMENT ROUGHNESS (N.A.B.I.)          | 2.000      | DL    |
| 410.1000 | MATERIAL TRANSFER VEHICLE                                   | 91,450.000 | TON   |
| 418.1000 | ASPHALTIC APPROACH MATERIAL                                 | 340.000    | SF    |
| 516.1000 | BRIDGE EXPANSION JOINT, ASPHALTIC PLUG                      | 800.000    | LF    |
| 519.1000 | MEMBRANE WATERPROOFING, SPRAY APPLIED ( BR77N)              | 680.000    | SY    |
| 519.1000 | MEMBRANE WATERPROOFING, SPRAY APPLIED (BR77S)               | 680.000    | SY    |
| 524.1100 | JOINT SEALER, HOT POURED                                    | 370.000    | LF    |
| 524.2100 | JOINT SEALER, POLYURETHANE (BR77S)                          | 40.000     | LF    |
| 524.2100 | JOINT SEALER, POLYURETHANE (BR92N, BR93N)                   | 40.000     | LF    |
| 529.1000 | REMOVAL OF BRIDGE PAVEMENT (BR 77N)                         | 800.000    | SY    |
| 529.1000 | REMOVAL OF BRIDGE PAVEMENT (BR 77S)                         | 800.000    | SY    |

|   |   |             |      |
|---|---|-------------|------|
| 580.1203  | CONCRETE REPAIR MATERIAL, TYPE III                        | 100.000     | CF   |
| 604.4000  | CHANGING ELEVATION OF DIS, CATCH BASINS, OR MANHOLES      | 16.000      | EACH |
| 604.4101  | REHABILITATING DIS, CATCH BASINS, OR MANHOLES, CLASS I    | 10.000      | EACH |
| 604.4102  | REHABILITATING DIS, CATCH BASINS, OR MANHOLES, CLASS II   | 5.000       | EACH |
| 608.1500  | POWER GRADER RENTAL                                       | 100.000     | HR   |
| 608.2501  | ALL-PURPOSE EXCAVATOR RENTAL, TYPE I                      | 660.000     | HR   |
| 608.3001  | POWER BROOM RENTAL, TYPE I                                | 255.000     | HR   |
| 608.3002  | POWER BROOM RENTAL, TYPE II                               | 420.000     | HR   |
| 608.3003  | POWER BROOM RENTAL, TYPE III                              | 160.000     | HR   |
| 608.3700  | TRUCK RENTAL  | 1,325.000   | HR   |
| 608.4500  | TRUCK-MOUNTED ATTENUATOR                                  | 280.000     | HR   |
| 608.5000  | TRUCK-MOUNTED ATTENUATOR, AWW/PV                          | 140.000     | HR   |
| 613.1001  | STONE FILL, TYPE I  | 200.000     | CY   |
| 616.3101  | BITUMINOUS CONCRETE CURB, TYPE A                          | 1,425.000   | LF   |
| 616.4700  | BITUMINOUS CONCRETE GUTTERS AND TRAFFIC ISLANDS           | 730.000     | TON  |
| 621.0100  | REMOVAL OF GUARDRAIL                                      | 5,300.000   | LF   |
| 621.0220  | ADJUST HEIGHT OF GUARDRAIL                                | 20,460.000  | LF   |
| 621.0300  | REPLACE GUARDRAIL BEAM UNIT, W-BEAM                       | 1,410.000   | EACH |
| 621.0360  | REPLACE GUARDRAIL POST ASSEMBLY, W-BEAM WITH 6 FOOT POSTS | 800.000     | EACH |
| 621.1060  | STEEL BEAM GUARDRAIL                                      | 5,400.000   | LF   |
| 621.1500  | STEEL BEAM GUARDRAIL OFFSET BLOCK                         | 4,080.000   | EACH |
| 621.1530  | ANCHOR FOR STEEL BEAM GUARDRAIL, MGS                      | 44.000      | EACH |
| 621.1560  | TRAFFIC BARRIER DELINEATOR                                | 2,700.000   | EACH |
| 621.3030  | MTS, MGS, TANGENT, TL-3                                   | 13.000      | EACH |
| 621.3130  | MTS, MGS, FLARED, TL-3                                    | 17.000      | EACH |
| 630.1000  | UNIFORMED TRAFFIC OFFICERS                                | 3,600.000   | HR   |
| 630.1500  | FLAGGERS  | 600.000     | HR   |
| 631.1000  | FIELD OFFICE, ENGINEER'S (IM 089-3(85))                   | 1.000       | LS   |
| 631.1000  | FIELD OFFICE, ENGINEER'S (IM 089-3(86))                   | 1.000       | LS   |
| 631.1700  | TESTING EQUIPMENT, BITUMINOUS (IM 089-3(85))              | 1.000       | LS   |
| 631.1700  | TESTING EQUIPMENT, BITUMINOUS (IM 089-3(86))              | 1.000       | LS   |
| 631.2600  | FIELD OFFICE COMMUNICATIONS (N.A.B.I.)                    | 3,000.000   | DL   |
| 633.1000  | CPM SCHEDULE  | 16.000      | EACH |
| 634.1000  | EMPLOYEE TRAINEESHIP                                      | 520.000     | HR   |
| 635.1100  | MOBILIZATION/DEMOBILIZATION (IM 089-3(85))                | 1.000       | LS   |
| 635.1100  | MOBILIZATION/DEMOBILIZATION (IM 089-3(86))                | 1.000       | LS   |
| 641.1100  | TRAFFIC CONTROL, ALL-INCLUSIVE (IM 089-3(85))             | 1.000       | LS   |
| 641.1100  | TRAFFIC CONTROL, ALL-INCLUSIVE (IM 089-3(86))             | 1.000       | LS   |
| 641.1500  | PORTABLE CHANGEABLE MESSAGE SIGN                          | 13.000      | EACH |
| 646.6212  | TEMPORARY 6 INCH WHITE LINE, TYPE C TAPE                  | 12,000.000  | LF   |
| 646.6220  | TEMPORARY 6 INCH WHITE LINE, PAINT                        | 410,350.000 | LF   |
| 646.6320  | TEMPORARY 6 INCH YELLOW LINE, PAINT                       | 326,500.000 | LF   |
| 646.6620  | TEMPORARY 12 INCH WHITE LINE, PAINT                       | 13,650.000  | LF   |
| 646.6820  | TEMPORARY 24 INCH STOP BAR, PAINT                         | 135.000     | LF   |
| 646.6920  | TEMPORARY LETTER OR SYMBOL, PAINT                         | 170.000     | EACH |
| 646.7600  | LINE STRIPING TARGETS                                     | 34,250.000  | EACH |
| 651.1500  | TURF ESTABLISHMENT, GENERAL SEED                          | 44,350.000  | SY   |
| 653.1000  | HAY MULCH   | 19.000      | TON  |
| 653.2001  | ROLLED EROSION CONTROL PRODUCT, TYPE I                    | 210.000     | SY   |
| 676.1000  | DELINEATOR WITH STEEL POST                                | 219.000     | EACH |
| 676.1200  | REMOVAL OF EXISTING DELINEATOR AND POST                   | 219.000     | EACH |
| 676.2000  | DELINEATOR WITH FLEXIBLE POST                             | 13.000      | EACH |
| 690.0300  | PRICE ADJUSTMENT, ASPHALT (N.A.B.I.)                      | 2.000       | DL   |
| 690.0400  | PRICE ADJUSTMENT, FUEL (N.A.B.I.)                         | 2.000       | DL   |
| OPTION - DURABLE 24 INCH STOP BAR OPTIONS - DURABLE 24 INCH STOP BAR, EPOXY |   |             |      |

|   |  |            |      |
|---|--|------------|------|
| 646.4830  | DURABLE 24 INCH STOP BAR, EPOXY PAINT (IM 089-3(85))   | 35.000     | LF   |
| OPTION - DURABLE 24 INCH STOP BAR OPTIONS - DURABLE 24 INCH STOP BAR, POLYUREA    |  |            |      |
| 646.4840  | DURABLE 24 INCH STOP BAR, POLYUREA (IM 089-3(85))      | 35.000     | LF   |
| OPTION - DURABLE 24 INCH STOP BAR OPTIONS - DURABLE 24 INCH STOP BAR, EPOXY       |  |            |      |
| 646.4830  | DURABLE 24 INCH STOP BAR, EPOXY PAINT (IM 089-3(86))   | 30.000     | LF   |
| OPTION - DURABLE 24 INCH STOP BAR OPTIONS - DURABLE 24 INCH STOP BAR, POLYUREA    |  |            |      |
| 646.4840  | DURABLE 24 INCH STOP BAR, POLYUREA (IM 089-3(86))      | 30.000     | LF   |
| OPTION - DURABLE LETTER OR SYMBOL OPTIONS - DURABLE LETTER OR SYMBOL, EPOXY PAINT |  |            |      |
| 646.4930  | DURABLE LETTER OR SYMBOL, EPOXY PAINT (IM 089-3(85))   | 53.000     | EACH |
| OPTION - DURABLE LETTER OR SYMBOL OPTIONS - DURABLE LETTER OR SYMBOL, POLYUREA    |  |            |      |
| 646.4940  | DURABLE LETTER OR SYMBOL, POLYUREA (IM 089-3(85))      | 53.000     | EACH |
| OPTION - DURABLE LETTER OR SYMBOL OPTIONS - DURABLE LETTER OR SYMBOL, EPOXY PAINT |  |            |      |
| 646.4930  | DURABLE LETTER OR SYMBOL, EPOXY PAINT (IM 089-3(86))   | 32.000     | EACH |
| OPTION - DURABLE LETTER OR SYMBOL OPTIONS - DURABLE LETTER OR SYMBOL, POLYUREA    |  |            |      |
| 646.4940  | DURABLE LETTER OR SYMBOL, POLYUREA (IM 089-3(86))      | 32.000     | EACH |
| OPTION - PAVEMENT MARKING OPTIONS - EPOXY PAINT ITEMS                             |  |            |      |
| 646.4230  | DURABLE 6 INCH WHITE LINE, EPOXY PAINT (IM 089-3(85))  | 105,400.00 | LF   |
|   |  | 0          |      |
| 646.4330  | DURABLE 6 INCH YELLOW LINE, EPOXY PAINT (IM 089-3(85)) | 83,700.000 | LF   |
| 646.4630  | DURABLE 12 INCH WHITE LINE, EPOXY PAINT (IM 089-3(85)) | 7,100.000  | LF   |
| OPTION - PAVEMENT MARKING OPTIONS - POLYUREA ITEMS                                |  |            |      |
| 646.4240  | DURABLE 6 INCH WHITE LINE, POLYUREA (IM 089-3(85))     | 105,400.00 | LF   |
|   |  | 0          |      |
| 646.4340  | DURABLE 6 INCH YELLOW LINE, POLYUREA (IM 089-3(85))    | 83,700.000 | LF   |
| 646.4640  | DURABLE 12 INCH WHITE LINE, POLYUREA (IM 089-3(85))    | 7,100.000  | LF   |
| OPTION - PAVEMENT MARKING OPTIONS - EPOXY PAINT ITEMS                             |  |            |      |
| 646.4230  | DURABLE 6 INCH WHITE LINE, EPOXY PAINT (IM 089-3(86))  | 105,550.00 | LF   |
|   |  | 0          |      |
| 646.4330  | DURABLE 6 INCH YELLOW LINE, EPOXY PAINT (IM 089-3(86)) | 84,100.000 | LF   |
| 646.4630  | DURABLE 12 INCH WHITE LINE, EPOXY PAINT (IM 089-3(86)) | 3,775.000  | LF   |
| OPTION - PAVEMENT MARKING OPTIONS - POLYUREA ITEMS                                |  |            |      |
| 646.4240  | DURABLE 6 INCH WHITE LINE, POLYUREA (IM 089-3(86))     | 105,550.00 | LF   |
|   |  | 0          |      |
| 646.4340  | DURABLE 6 INCH YELLOW LINE, POLYUREA (IM 089-3(86))    | 84,100.000 | LF   |
| 646.4640  | DURABLE 12 INCH WHITE LINE, POLYUREA (IM 089-3(86))    | 3,775.000  | LF   |

The estimates of quantities are not guaranteed, but are given as a basis for the comparison of bids.

The right is reserved to reject any or all bids, to waive any formality, and any and all technicalities in bids, and to accept such bids as may be deemed in the best interest of the awarding agency.